Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	allocat\$3 near10 (portion or section) near10 static	USPAT	OR	OFF	2005/11/03 15:27
S2	58	allocat\$3 near10 (portion or section) near10 static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:16
S3	18	allocat\$3 near10 (portion or section) near10 static with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:29
S4	1177	(711/170).CCLS.	USPAT; USOCR	OR	OFF	2005/11/02 17:16
S5	1	S2 and S4	USPAT	OR	OFF	2005/11/02 17:16
S6	21544	(portion or section) near10 static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:18
S7	20340	(portion or section) near10 dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:17
S8	2714	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:30
S9 .	2	S4 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:17
S10	6	((portion or section) near10 static) same (main adj program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:19

S11	10	((portion or section) near10 static) same (main near3 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:20
S12	4	((portion or section) near10 static) same (functional adj program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:20
S13	393	((portion or section) near10 static) same (program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:21
S14	88	S7 and S13	US-PGPUB; USPAT;	OR	OFF	2005/11/02 17:21
. 0	.5		USOCR;			
	6.7		EPO; JPO; DERWENT;			
7. 7			IBM_TDB			
S15	29	S6 and S7 and MP3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:33
S16	76	static with (main near3 program)	US-PGPUB; USPAT;	OR	OFF	2005/11/02 17:34
	Y		USOCR;			
- (10)			EPO; JPO; DERWENT;		7	
			IBM_TDB		. A -	
S17	36	(static with (main near3 program)) and (dynamic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:35
S18	0	allocat\$3 near10 static near10 overlay\$3	USPAT	OR	OFF	2005/11/03 15:28
S19	516	allocat\$3 with static with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:29

S20	525	(allocat\$3 or delegat\$3) with static	US-PGPUB;	OR	OFF	2005/11/03 15:30
		with dynamic	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S21	; 31	((allocat\$3 or delegat\$3) with static with dynamic) with program\$1	US-PGPUB; USPAT;	OR	OFF	2005/11/03 15:39
	<u>:</u> -	with dynamic) with programps	USOCR; EPO; JPO;		m × 5	
	,		DERWENT; IBM_TDB			
S22	35	(static near10 (main adj program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:51
S23	2	(static near10 (foundation adj algorithm))	US-PGPUB; USPAT;	OR	OFF	2005/11/03 17:04
	- 2		USOCR; EPO; JPO;	and the second s		
**			DERWENT; IBM_TDB			
S24	776	swap\$4 near10 RAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:05
S25	4	S20 and S24	US-PGPUB;	OR	OFF	2005/11/03 17:12
			USOCR; EPO; JPO;) w	
2			DERWENT; IBM_TDB	× 6,4 1 2	,	
S26	4	(functional adj program\$1) with static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:14
S27	662	(functional adj program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:14

S28	10	(functional adj program\$1) same (allocat\$3 or delegat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/11/03 17:18
			IBM_TDB			